



Safety Data Sheet 82157 Gorilla Glue

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY NAME

NAME OF MANUFACTURER/SUPPLIER:

Gorilla Glue Europe A/S
Chorley Business & Technology Centre
East Terrace Euxton Lane
Chorley PR7 6TE

BUSINESS TELEPHONE No: +44 (0) 1257 241319
EMERGENCY TELEPHONE No: 1-651-603-3429 (Prosar)

PRODUCT FORM: Mixture

PRODUCT NAME: Gorilla Super Glue

SYNONYMS: Ethyl Cyanoacrylate Adhesive

Relevant identified uses

Use of the substance/mixture: Adhesive for metal, wood, ceramics, leather, paper, most plastics and more.

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315

Eye Irrit. 2 H319

STOT SE 3 H335

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Xi; R36/37/38

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]



Hazard pictograms (CLP) :

Signal word (CLP) :

Hazardous ingredients :

Hazard statements (CLP) :

Warning
Ethyl cyanoacrylate
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation

Precautionary statements (CLP) :

P261 - Avoid breathing mist, fume, spray, vapours.
P271 - Use only outdoors or in a well-ventilated area.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 - Dispose of contents/container according to local, regional, national, and international regulations.

EUH phrases :

EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of The reach of children

Other hazards not contributing to the classification

: Rapid polymerization occurs upon contact with water or alkaline substances. As a result, heat is generated. Skin inflammation or burns may occur upon contact during this polymerization.

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1. Substance**

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Ethyl cyanoacrylate	(CAS No) 7085-85-0 (EC no) 230-391-5 (EC index no) 607-236-00-9	86-100	Xi; R36/37/38

Name	Product identifier	Specific concentration limits
Ethyl cyanoacrylate	(CAS No) 7085-85-0 (EC no) 230-391-5 (EC index no) 607-236-00-9	(C >= 10) Xi; R36/37/38

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl cyanoacrylate	(CAS No) 7085-85-0 (EC no) 230-391-5 (EC index no) 607-236-00-9	86-100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Name	Product identifier	Specific concentration limits
Ethyl cyanoacrylate	(CAS No) 7085-85-0 (EC no) 230-391-5 (EC index no) 607-236-00-9	(C >= 10) STOT SE 3, H335

Full text of R- and H-phrases: see section 16

4. FIRST AID MEASURES**4.1. Description of first aid measures****General :**

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

After Inhalation :

If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

After Skin Contact :

Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

After Eye Contact :

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

After Ingestion :

Rinse mouth. Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Irritation to eyes, skin and respiratory tract.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.

4.3. Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media : Use water spray, foam, dry chemical, or carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Explosion hazard : Product is not explosive.

Reactivity : Rapid polymerization occurs upon contact with water or alkaline substances. As a result, heat is generated. Skin inflammation or burns may occur upon contact during this polymerization.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.

Firefighting instructions : Do not allow run-off from fire fighting to enter drains or water courses.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid getting in eyes, on skin, or on clothing. Avoid breathing vapours.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protection equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip clean-up crew with proper protection.

Emergency procedures : Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material, then place in suitable container.

Methods for cleaning up : Clear up spills immediately and dispose of waste safely.

6.4. Reference to other sections

See Section 8 for Exposure Controls and Personal Protection. See Section 13 for Disposal Consideration.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Store away from incompatible materials. Protect from moisture. Store locked up.

Incompatible products : Strong acids, strong bases, strong oxidizers, water.

Storage temperature : 5 - 25 °C (41 - 77 °F)

7.3. Specific end use(s)

Adhesive for metal, wood, ceramics, leather, paper, most plastics and more.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ethyl cyanoacrylate (7085-85-0)

Austria	MAK (mg/m ³)	9 mg/m ³
Austria	MAK (ppm)	2 ppm
Belgium	Limit value (mg/m ³)	1,04 mg/m ³
Belgium	Limit value (ppm)	0,2 ppm
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	0,2 ppm
Spain	VLA-ED (ppm)	0,2 ppm
United Kingdom	WEL STEL (mg/m ³)	1,5 mg/m ³
United Kingdom	WEL STEL (ppm)	0,3 ppm
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	10 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	2 ppm
Finland	HTP-arvo (8h) (mg/m ³)	1 mg/m ³
Finland	HTP-arvo (8h) (ppm)	0,2 ppm
Ireland	OEL (8 hours ref) (ppm)	0,2 ppm
Lithuania	IPRV (mg/m ³)	10 mg/m ³
Lithuania	IPRV (ppm)	2 ppm
Lithuania	TPRV (mg/m ³)	20 mg/m ³
Lithuania	TPRV (ppm)	4 ppm
Poland	NDS (mg/m ³)	1 mg/m ³
Poland	NDSch (mg/m ³)	2 mg/m ³
Sweden	nivågränsvärde (NVG) (mg/m ³)	10 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	2 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	20 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	4 ppm
Portugal	OEL TWA (ppm)	0,2 ppm

8.2. Exposure controls

Appropriate engineering controls :

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide sufficient ventilation to keep vapors below permissible exposure limit. Ensure all national/local regulations are observed.

Personal protective equipment :

Protective clothing. Safety glasses. Gloves. Insufficient ventilation: wear respiratory protection.



Materials for protective clothing :

Chemically resistant materials and fabrics.

Hand protection :

Wear chemically resistant protective gloves.

Eye protection :

Chemical goggles or safety glasses.

Skin and body protection :

Wear suitable protective clothing.

Respiratory protection :

Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Other information :

When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state :	Liquid	Appearance :	White Water / Straw coloured.
Colour :	No data available	Odour :	Sharp, irritating.
Odour threshold :	No data available	pH :	Not applicable
Relative evaporation rate (butylacetate=1)	No data available	Melting point :	No data available
Freezing point :	No data available	Boiling point :	> 100 °C (212 °F) (212,00 °F)
Flash point :	> 81 °C (177.8 °F)	Auto-ignition temperature :	No data available
Decomposition temperature :	No data available	Flammability (solid, gas) :	No data available
Vapour pressure :	< 0.5 mmHg at 25 °C (77 °F)		
Relative vapour density at 20 °C :	No data available	Relative density :	1,1 (water = 1)
Solubility :	Immiscible in water.	Viscosity :	No data available
Partition coefficient: n-octanol/water :	No data available	Oxidising properties :	No data available
Explosive properties :	No data available		
Explosive limits :	Not applicable		

9.2. Other information

VOC Content : <20g/L estimated (California SCAQMD Method 316B)

10. STABILITY AND REACTIVITY

10.1. Reactivity

Rapid polymerization occurs upon contact with water or alkaline substances. As a result, heat is generated. Skin inflammation or burns may occur upon contact during this polymerization.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Water.

10.6. Hazardous decomposition products

None known

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity : Not classified

Gorilla Super Glue

LD50 oral (estimated)	> 5000 mg/kg
LD50 dermal (estimated)	> 2000 mg/kg
LC50 inhalation (estimated)	> 4000 ppm/1H

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure): May cause respiratory irritation.

Specific target organ toxicity (repeated exposure) Not classified

Aspiration hazard : Not classified

12. ECOLOGICAL INFORMATION

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information : Avoid release to the environment.

13. DISPOSAL RECOMMENDATIONS

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

14. TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

No additional information available

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

Primary pack containing less than 500 mL are unregulated by this mode of transport and may be shipped unrestricted.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Gorilla Super Glue
--	--------------------

Contains no REACH candidate substance

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. OTHER INFORMATION

Data sources :

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
R36/37/38	Irritating to eyes, respiratory system and skin
Xi	Irritant

The information presented in this Safety Data Sheet was prepared by qualified personnel and to the best of our knowledge is true and accurate. The information and recommendations are furnished for this product with the understanding that the purchaser will independently determine the suitability of the product for this purpose. This data does not constitute a warranty, expressed or implied, statutory or otherwise, nor is it representation for which The Gorilla Glue Company assumes legal responsibility. The data is submitted for the user's information and consideration only. Any use of this product must be determined by the user to be in accordance with applicable federal, state, provincial and local laws and regulations.